

you can
Canon

iR3180C
iR3180Ci
Multifunctional Printers

The affordable black and white
multifunctional – with colour
when you need it



iR3180C / iR3180Ci

The smart new concept in affordable document communication

Imagine a highly affordable black and white multifunctional device that gives you the benefits of colour communication - but only when it's needed. The iR3180C/Ci offer exactly that, plus much more...

Colour creates cut through

Using colour creates impact. It gets you noticed. Add just a little colour - in the right places - and it goes a long way. The iR3180C/Ci allows you to use colour selectively and intelligently to make a strong impression. Highlight key facts or figures, brighten up proposals or bring images to life in an internal newsletter - maximising the impact of your communications whilst minimising costs.

Intelligent colour printing with ACS

The iR3180C/Ci is set by default to print in black and white, but you can opt to utilise Canon's Auto-Colour Sensing (ACS) technology for the ultimate in smart colour printing. ACS automatically detects whether a page, or pages within a document, contain colour, ensuring you only pay for colour when its used.

Save up to 70% compared with desktop colour printing

Desktop colour printing may be convenient, but running costs are dependent on page coverage and can be high and variable. In contrast, the iR3180C/Ci offer a fixed price per page for enhanced cost control and predictability. With the added ability to copy, scan and fax you can save on the cost of multiple single function devices, and the iR3180C/Ci will use less space too.

Complete control

The iR3180C/Ci offer a host of options so you can effectively control usage and costs:


Department ID - specify colour page quotas by user or department for sensible and controllable colour usage

uniFLOW Output Manager - see who is printing what, where and how much it's costing

Access Management System - limit certain functions to specific users e.g. colour copying to secretaries only

Effortless IT management

Canon's iR3180Ci comes "network-ready", so installing on your network is a simple task. Alternatively the iR3180C is a "copier only" configuration. Compatible with Windows Vista and IPv6, the iR3180C/Ci will integrate seamlessly into your office environment.



Powered for busy workloads.

Smart colour.

Colour
can improve
retention of information
by over **80%***

* Source: Case & Company Management Consultants

The smart way to handle all your document communication needs

There's no need for disparate print devices spread over the office floor with a powerful multifunctional printer like the iR3180C/Ci. This dependable, space-saving device helps you print, copy, fax, scan or send information to colleagues and customers with ease.



Print with ease

The iR3180C/Ci sits on your network providing easy, shared access amongst small teams or groups. Black and white prints are delivered at a swift 31 pages per minute (ppm) and colour – when you need it – at a respectable 7ppm.

Print with impact

Colour when you need it also means added professionalism. Now you can create eye-catching saddle-stitched booklets and winning customer proposals in black and white with colour – neatly stapled or hole punched for the perfect finish. Alternatively, to save space, you can choose the internal finisher, which neatly staples your documents without increasing the footprint of the machine.

Communicate and share information

Open up a new world of communication possibilities with the iR3180C/Ci. Scan documents via the document feeder and instantly send them where they're needed – network folders, email addresses and mailboxes. You can even improve the quality of scanned documents using the optional Trace and Smooth feature.

Convenience with mailboxes

Prevent users collecting the wrong document or finding confidential documents at printer. Mailboxes can be set up for individuals and groups of users, storing documents until the released by the user at the device.

Guarantee secure communication with the iR3180C/Ci:

Document security - hold confidential documents in password protected secure mailboxes, and encrypt scanned documents before sending to others

Device security - Ensure only those authorised to use the iR3180C/Ci can access using passwords, your company's network log-in, or even fingerprint authentication.

Prioritise your work

You can easily prioritise your workload with the new Print Job feature. Jobs can be viewed and repositioned within the print queue whenever your needs are pressing. Secure and encrypted jobs are hidden by an asterisk and, by using Single Sign On (SSO), only your jobs are viewable when you access the device.

Improve document workflow with iW360

Using Canon's innovative, iW360 software solution any document based workflow or process is easier to achieve.


From manuals to sales tools, proposals to reports iW360 software enables you to produce professional documents and manage a multitude of data in minutes.



The smart investment for intelligent business people

The space saving iR3180C/Ci was designed to be a black and white multifunctional device with the convenience of colour when you need it. Versatile and cost effective, its a sound investment for your organisation.

- 1** Finisher Q4 – optional
- 2** Hole puncher – optional
- 3** DADF (50 sheets) – optional
- 4** Internal finisher P1 – optional
- 5** Advanced technology
- 6** Standard cassettes (550 x 2 sheets)
- 7** Cassette feeding unit Y3 (550 x 2 sheets) - optional
- 8** A4 Paperdeck Q1 (2,700 sheets) – optional



1 Professional finishing

For heavier workloads the Finisher Q3 (not shown) provides 50 sheet stapling and two trays with a maximum 1,000 sheet capacity.

For the most professional-looking documents produced effortlessly from your desktop you need the Saddle finisher Q4. This allows you to produce professional looking saddle stitched booklets in colour or in part colour. With a capacity of 15 A4 sheets you can make 60 page booklets that will help your

2 Hole puncher

Two or four hole punching can be carried out automatically with the hole puncher.

3 Document feeder/image reader

A 50 sheet document feeder helps cope with scanning and sizeable copy runs, accommodating documents with different sized pages up to 128gsm. The image reader combined with Universal Send enables you to scan documents which can be sent instantly to email addresses, mailboxes and network folders.

4 Internal finisher

The innovative internal finisher P1 provides the power to stack and staple your documents without taking up office space. This innovative finisher is incorporated within the machine's footprint, corner or double stapling up to 50 sheets, with a generous stack tray capacity of 500 sheets.

5 Advanced technology

The device adheres to the strictest environmental standards such as RoHS, which restricts the use of hazardous substances. The device and the HDD Data Encryption Kit containing the Canon MFP Security Chip 1.00, qualify for EAL3 status under the Common Criteria Program (ISO15408). This is the global standard for information technology security evaluations.

Using MEAP (Multifunctional Embedded Application Platform), Canon's device embedded Java based application platform, enables new and customised software to be incorporated directly within your device. This way your investment keeps pace with the very latest in office communication technology.

6 7 8 Big capacity

A total of 4950 sheets on-line ensure that even demanding departments won't be left waiting around. And with six different paper sources selectable at any one time and sizes ranging A5R – A3 it's possible to set-up diverse variations to create ever more impactful end results. A standard 550 x 2 sheets on-line can be boosted with the cassette feeding unit (550 x 2) and the 2,700 sheet A4 paperdeck.

Alternatively, an additional feeder (not shown) can be attached for address printing directly onto envelopes.



Specifications iR3180C / iR3180Ci

| | |
|--|---|
| <p>Type Maximum Original Size Copy Sizes Cassette Stack Bypass</p> <p>Resolution Scanning Copying Printing</p> <p>Copy/Print Speed A4 A3</p> <p>Magnification Fixed First copy time Black and White Full Color Warm-Up Time Multiple Copies/Prints Duplexing Paper weight Cassette Stack Bypass Duplex Cassette Universal Paper Capacity Standard</p> <p>Optional Paper Deck Total capacity CPU Memory iR3180C iR3180Ci Hard Disk Drive Interface Power Supply Power Consumption (W) Dimensions (WxDxH) Weight</p> | <p>Desktop A3</p> <p>A3, A4, A4R, A5R A5-A3, SRA3 (320 x 450mm), Envelopes 99 x 140mm to 320 x 457mm</p> <p>600dpi x 600dpi 600dpi x 600dpi 2400dpi equivalent x 600dpi 256 Gradations</p> <p>31 ppm B&W 7 ppm full colour 16 ppm B&W 3.5 ppm full colour Zoom 25-400%</p> <p>25%, 50%, 71%, 100%, 141%, 200%, 400%</p> <p>8sec 23.9sec 6 minutes 1 to 999 sheets Standard automatic stackless</p> <p>64 to 163g/m² 64 to 163g/m² 64 to 105g/m²</p> <p>A5R to A3, 305 x 457mm</p> <p>550 sheets x2 cassettes (80g/m²) Stack Bypass: 50 sheets (80g/m²) 550 sheets x2 cassettes (80g/m²) 2,700 sheets (80g/m²) 4,950 sheets</p> <p>Canon Custom Processor, 533MHz + 400MHz 1024MB to 1536MB (Optional) 1536MB 80GB Ethernet (100Base-TX/10Base-T)USB2.0 220-240V AC/5A/50/60Hz 1.5 kW max. 565 x 755 x 754mm 86.2Kg</p> |
| <p>Colour UFR II/PCL Printer Kit-U1 (Standard for i model)</p> <p>PDL Resolution Memory Hard Disk CPU PCL Fonts Supported OS PCL5c UFR II Interface Network Protocol Pull Scan</p> | <p>PCL5c, UFR II 2400 equivalent x 600dpi 1024MB (Uses Main unit RAM) 80GB (Uses Main unit HDD) Canon Custom Processor 533MHz & 400MHz (Uses Main unit CPU) Roman80, Bitmap1, OCR2</p> <p>Windows 98/Me/2000/XP/Server2003/Vista Windows 2000/XP/Server2003/Vista, Mac OSX (10.2.8 or later) Ethernet (100Base-TX/10Base-T), USB 2.0 TCP/IP (LPD/Port9100/IPP/PPS/SMB/FTP, IPv4/IPv6), IPX/SPX(NDS, Bindery), AppleTalk Network TWAIN Driver (75 to 600dpi 24bit color/8bit grayscale/Black & white)</p> |
| <p>Colour PS Printer Kit-U1 (Optional for i model)</p> <p>PDL Resolution PS Fonts Supported OS PS Mac-PPD</p> | <p>PostScript3 Emulation 2400 equivalent x 600dpi Roman136</p> <p>Windows 98/Me/2000/XP/Server2003/Vista, Mac OSX (10.2.8 or later) Mac OS9.2.2 or later</p> |
| <p>Colour Universal Send Kit-J1 (Standard for i Model)</p> <p>Scan Speed Scan Resolution Destinations Address book File Format Single page Multi page</p> | <p>44 ipm A4 300dpi (Colour/B&W) with DADF 100dpi, 150dpi, 200 x 100dpi, 200dpi, 200 x 400dpi, 300dpi, 400dpi, 600dpi E-Mail/Internet FAX (SMTP), PC (SMB,FTP,NCP), iWDM (FTP), WebDAV LDAP, Local (Max.1800)</p> <p>TIFF, JPEG, PDF TIFF, PDF</p> |
| <p>DADF-L1</p> <p>Paper size Paper weight Single sided original Double sided original Max. Number of originals Document Scanning speed (max.) Copy Scan Dimensions (W x D x H) Weight</p> | <p>A3, A4, A4R, A5, A5R</p> <p>42 to 128g/m² 50 to 128g/m² 50 sheets (80g/m²)</p> <p>28 ipm A4 600dpi (Colour/B&W) 44 ipm A4 300dpi (Colour/B&W) 565 x 538 x 122mm Approx. 8.5kg</p> |
| <p>Cassette Feeding Unit-Y3</p> <p>Type Paper Size Paper Weight Paper Capacity Dimensions (W x D x H) Weight</p> | <p>2 Front-loading adjustable drawers 305 x 457mm, A3, A4, A4R, A5R 64 to 163g/m² 550 sheets (80g/m²) x2 cassettes 565 x 700 x 251.5mm Approx. 23kg</p> |
| <p>Paper Deck-Q1</p> <p>Paper Size Paper Weight Paper Capacity Dimensions (W x D x H) Weight</p> | <p>A4 64 to 105g/m² 2,700 sheets (80g/m²) 372 x 591 x 473mm Approx. 29.6kg</p> |
| <p>Finisher-P1</p> <p>Number of trays Tray capacity A4-A5R A3 Staple position Staple capacity A4 A3 Weight</p> | <p>One stack tray (Inner)</p> <p>500 sheets 250 sheets Corner, Double</p> <p>50 sheets 30 sheets Approx. 11.5kg</p> |
| <p>Finisher-Q3/Saddle Finisher-Q4</p> <p>Number of trays Tray capacity A4, A5, A5R A3, A4R Staple position Staple capacity A4 A3, A4R Saddle Stitch Specifications Paper size Staple capacity Dimensions Q3 Q4 Weight Q3 Q4</p> | <p>2 trays (+ optional tray 1)</p> <p>1,000 sheets Max 500 sheets Max Corner, Double, Saddle Stitch (Q4 only)</p> <p>50 sheets (80g/m²) 30 sheets (80g/m²) (Saddle Finisher-Q4 only) A3, A4R 1 to 15 sheets (60pages, 64-80g/m²) 1 to 10 sheets (40pages, 81-105g/m²)</p> <p>536 x 657 x 1036 mm 648 x 657 x 1036 mm</p> <p>39.6kg 67.6kg</p> |
| <p>Other Accessories</p> | <p>Platen Cover-H, Inner 2-way T 1, Buffer Pass Unit-C1, Additional Finisher Tray-A1, Puncher Unit-L1/N1/P1, iR3100C pedestal, FL Cassette-Y1/Z1, Key Switch Unit-A2, Document Tray-J1, Staple Cartridge-J1/D3, Stamp Inc Cartridge-C1, Card Reader-C1, Card Reader Kit-B1, 512MB Expansion RAM-C1 (Standard for Ci Model), Colour UFR II Printer Kit-U1, Super G3 FAX Board-S2, Universal Send PDF Advanced Feature Set-A1, Universal Send PDF Security Feature Set-A1, Digital User Signature PDF Kit-A1, HDD Data Erase Kit-A1, HDD Data Encryption Kit-B1, Web Access Software-E1, Remote Operator's Software Kit-A2, Barcode Printing, Kit-A1, Encrypted Printing Software-C1, Direct Printing Kit-F1 (for UFR II), Voice guidance-C1</p> |



Canon's GENUINE logo means
quality all-round performance

meap
POWERED BY



you can
Canon

Canon Inc.
www.canon.com

Canon Europa N.V.
www.canon-europe.com

Canon UK Edition 0117W045
© Canon Europa N.V., 2007 (0108)

Canon (UK) Ltd.
Woodhatch, Reigate
Surrey, RH2 8BF

T: 08000 353535
F: 01737 220022
www.canon.co.uk

Canon Ireland
Arena Road, Sandyford
Industrial Estate
Dublin 18, Ireland
T: 01-205 2400
F: 01-295 8141
www.canon.ie